


Application No.: 10/777,562  
 Response dated: October 12, 2007  
 Reply to Office Action July 12, 2007

**RECEIVED**  
**CENTRAL FAX CENTER**

OCT 12 2007

**Listing of the Claims**

1. (Currently Amended) A process for polymerizing olefin(s) comprising combining said olefin(s) in the presence of a catalyst system comprising a Group 15 containing [bidentate or] tridentate ligated hafnium catalyst compound, wherein the hafnium metal atom is bound to at least one leaving group and to [at least two] three Group 15 atoms, and wherein [at least one of the at least] two of the Group 15 atoms [is bound to a Group 15 or 16 atom] are each bound to the third Group 15 atom through a bridging group; and a bulky ligand metallocene catalyst compound, wherein the bulky ligand metallocene compound and the Group 15 containing tridentate ligated hafnium catalyst compound are added to a polymerization reactor in one of a slurry, a solution, an emulsion, a dispersion or a suspension, and wherein the Group 15 containing tridentate ligated hafnium catalyst compound is represented by the formula:



Formula (I)

wherein M is hafnium;

each X is independently a leaving group;

n is the oxidation state of M;

m is the formal charge of the Y, Z and L ligand;

L is a Group 15 element;

Y is a Group 15 element;

Z is a Group 15 element;

R<sup>1</sup> and R<sup>2</sup> are independently a linear, branched, or cyclic C<sub>2</sub> to C<sub>20</sub> alkyl group;

R<sup>3</sup> is a hydrocarbon group, hydrogen, a halogen, or a heteroatom containing group;

Page 2 of 11


Application No.: 10/777,562  
Response dated: October 12, 2007  
Reply to Office Action July 12, 2007

R<sup>4</sup> and R<sup>5</sup> are independently an alkyl group, an aryl group, substituted aryl group, a cyclic alkyl group, a substituted cyclic alkyl group, a cyclic arylalkyl group, a substituted cyclic arylalkyl group or multiple ring system;

R<sup>1</sup> and R<sup>2</sup> may be interconnected to each other, and/or R<sup>4</sup> and R<sup>5</sup> may be interconnected to each other; and

R<sup>6</sup> and R<sup>7</sup> are independently absent, or hydrogen, an alkyl group, halogen, heteroatom or a hydrocarbyl group.

2. (Cancelled)
3. (Cancelled)
4. (Cancelled)
5. (Currently amended) The process of [claim 4] Claim 1, wherein R<sup>4</sup> and R<sup>5</sup> are represented by the formula:



wherein R<sup>8</sup> to R<sup>12</sup> are each independently hydrogen, a C<sub>1</sub> to C<sub>40</sub> alkyl group, a halide, a heteroatom, a heteroatom containing group containing up to 40 carbon atoms, wherein any two R groups may form a cyclic group and/or a heterocyclic group and wherein the cyclic groups may be aromatic.


6. (Currently Amended) The process of claim 5 wherein R<sup>8</sup> to R<sup>12</sup> [R<sup>9</sup>, R<sup>10</sup> and R<sup>12</sup>] are independently a methyl, ethyl, propyl or butyl group.

Application No.: 10/777,562  
Response dated: October 12, 2007  
Reply to Office Action July 12, 2007

7. (Currently Amended) The process of claim 5 wherein R<sup>8</sup> to R<sup>12</sup> [R<sup>9</sup>, R<sup>10</sup> and R<sup>12</sup>] are methyl groups[, and R<sup>8</sup> and R<sup>11</sup> are hydrogen].
8. (Currently Amended) The process [of claim 4] of Claim 1, wherein L, Y, and Z are nitrogen, R<sup>1</sup> and R<sup>2</sup> are a C<sub>2</sub> to C<sub>6</sub> hydrocarbon radical, R<sup>3</sup> is hydrogen, and R<sup>6</sup> and R<sup>7</sup> are absent.
9. (Cancelled)
10. (Original) The process of claim 1 wherein the catalyst system is supported on a carrier.
11. (Original) The process of claim 1 wherein the process is a continuous gas phase process.
12. (Original) The process of claim 1 wherein the process is a continuous slurry phase process.
13. (Original) The process of claim 1 wherein the olefin(s) is ethylene.
14. (Original) The process of claim 1 wherein the olefins are ethylene and at least one other monomer having from 3 to 20 carbon atoms.
15. (Original) The process of claim 1 wherein the catalyst system further comprises an activator.
16. - 45. (Cancelled)

Application No.: 10/777,562  
Response dated: October 12, 2007  
Reply to Office Action July 12, 2007

46. (New) The process of Claim 1, wherein the Group 15 containing tridentate ligated hafnium catalyst compound is represented by the formula:



wherein R<sup>8</sup> to R<sup>12</sup> are each independently a methyl, ethyl, propyl, or butyl group.